

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application, includes any amendments made to the claims herein, and further includes the status of each claim:

1. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, comprising:

a panel assembly comprising a plurality of interconnected panels comprising a plurality of base sections and a plurality of ribs, wherein said plurality of base sections comprises first and second base sections, wherein said plurality of ribs are disposed in spaced relation and comprise a first rib disposed between said first and second base sections, wherein said first rib comprises a first sidewall that extends away from said first base section, as well as a second sidewall that extends away from said second base section; and

a clamp mounted on said first rib and comprising:

a first clamping member that engages said first sidewall of said first rib and that also extends beyond said first rib, wherein said first clamping member comprises a mounting flange in the form of a cantilever;

an attachment mounting fastener threadably engaged with said mounting flange;

a second clamping member that engages said second sidewall of said first rib and that also extends beyond said first rib, wherein said second clamping member is pivotable relative to first clamping member, and wherein a first end of said second clamping member engages an underside of said mounting flange; and

a first fastener located beyond said first rib, ~~and~~ associated with each of said first and second clamping members, and in addition to said attachment mounting fastener, wherein activation of said first fastener causes said second clamping member to pivot relative to said first clamping

member at least generally about said first end such that said first and second clamping members each exert at least an inwardly-directed force on said first rib.

2. (Currently amended) A ~~clamp/panel~~clamp and panel assembly, as claimed in Claim 1, wherein:

said plurality of ribs are each hollow and of a trapezoidal-type.

3. (Currently amended) A ~~clamp/panel~~clamp and panel assembly, as claimed in Claim 1, wherein:

a first reference plane is associated with said plurality of base sections;

said first and second clamping members are disposed on opposite sides of a second reference plane that is perpendicular to said first reference plane and that extends along a length dimension of said first rib;

said first clamping member further comprises first, second and third sections, wherein said first section is disposed beyond said first rib, ~~and further~~ is disposed at least generally parallel with said first reference plane, and comprises said mounting flange, wherein said second section extends from said first section toward said first reference plane in a first orientation relative to said second reference plane and is also disposed beyond said first rib, and wherein said third section extends from said second section toward said first reference plane in a second orientation relative to said second reference plane and engages said first sidewall of said first rib, wherein said first and second orientations are different; and

said second clamping member further comprises fourth and fifth sections, wherein said fourth section is disposed beyond said first rib and extends toward said first reference plane in a third orientation relative to said second reference plane, and wherein said fifth section extends from said fourth section toward said first reference plane in a fourth orientation relative to said second

reference plane and engages said second sidewall of said first rib, wherein said third and fourth orientations are different, and wherein said fourth and fifth sections of said second clamping member are at least generally a mirror image of said second and third sections of said first clamping member.

4. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 1, wherein:

said underside of said mounting flange of said first clamping member comprises a recess that is concave and arcuately-shaped, and wherein said first end of said second clamping member comprises a first projection that is convex and arcuately-shaped, and further that is disposed in said recess of said first clamping member to provide a pivotal connection of said second clamping member to said first clamping member.

5. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 1, wherein:

said second sidewall comprises a second indentation on an exterior surface of said first rib, and wherein said second clamping member comprises a second head disposed in said second indentation.

6. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 5, wherein:

said first sidewall comprises a first indentation on said exterior surface of said first rib, and wherein said first clamping member comprises a first head disposed in said first indentation.

7. (Withdrawn) A clamp/panel assembly, as claimed in Claim 5, wherein:
said first sidewall is free of any indentations on said exterior surface of said first rib.

8. (Withdrawn) A clamp/panel assembly, as claimed in Claim 7, wherein:
said clamp further comprises a second fastener that extends through said first clamping member and through an aligned portion of said first sidewall of said first rib.

9. (Withdrawn) A clamp/panel assembly, as claimed in Claim 1, further comprising:

an attachment mounted on said first clamping member.

10. (Withdrawn) A clamp/panel assembly, as claimed in Claim 9, wherein:
said first clamping member comprises a threaded bore, wherein said clamp further comprises a first threaded fastener that extends through said attachment and at least into said threaded bore to mount said attachment to said first clamping member.

11. (Withdrawn) A clamp/panel assembly, as claimed in Claim 10, wherein:
said threaded bore extends completely through said first clamping member, wherein said first threaded fastener extends completely through said threaded bore, and wherein said first threaded fastener lacks a nut for retaining said first threaded fastener on said first clamping member.

12. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 1, wherein:

one of said first and second clamping members comprises a non-threaded bore, wherein the other of said first and second clamping members comprises a threaded bore, and wherein said first fastener extends through said non-threaded bore and at least into said threaded bore.

13. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 12, wherein:

said first fastener extends completely through each of said first and second clamping members, wherein said first fastener lacks a nut for retaining said first fastener relative to said first and second clamping members.

14. (Withdrawn) A clamp/panel assembly, as claimed in Claim 1, wherein:
one of said first and second clamping members comprises a non-threaded slot, wherein the other of said first and second clamping members comprises a threaded bore, and wherein said first fastener extends through said non-threaded slot and at least into said threaded bore.

15. (Withdrawn) A clamp/panel assembly, as claimed in Claim 1, further comprising:
an insert disposed within a hollow interior of said first rib, wherein said clamp is mounted on said first rib in overlying relation to said insert such that said first rib is disposed between said clamp and said insert.

16-30 (Canceled)

31. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, comprising:
a panel assembly comprising a plurality of interconnected panels comprising a plurality of base sections and a plurality of ribs, wherein said plurality of base sections comprises first and second base sections, wherein said plurality of ribs are disposed in spaced relation and comprise a first rib disposed between said first and second base sections, wherein said first rib comprises a first sidewall that extends away from said first base section, as well as a second sidewall that extends away from said second base section; and

a clamp mounted on said first rib and comprising:

a first clamping member that engages said first sidewall of said first rib, wherein said first clamping member also extends beyond said first rib, wherein said first clamping member comprises a mounting flange in the form of a cantilever;

an attachment mounting fastener threadably engaged with said mounting flange;

a second clamping member that engages said second sidewall of said first rib, wherein said second clamping member also extends beyond said first rib, and wherein a first end of said second clamping member engages an underside of said mounting flange; and

a first fastener located beyond said first rib, ~~and~~ associated with each of said first and second clamping members, and in addition to said attachment mounting fastener, wherein activation of said first fastener causes said first and second clamping members to each exert at least an inwardly-directed force on said first rib, and wherein said first fastener lacks a nut for retaining said first fastener relative to each of said first and second clamping members.

32. (Withdrawn) A clamp/panel assembly, comprising:

a panel assembly comprising a plurality of interconnected panels comprising a plurality of base sections and a plurality of ribs each having a hollow interior;

an insert disposed within said hollow interior of a first rib of said plurality of ribs; and

a clamp mounted on said first rib in overlying relation to said insert such that said first rib is disposed between said clamp and said insert.

33. (Withdrawn) A clamp/panel assembly, as claimed in Claim 32, wherein said clamp comprises:

a first clamping member engaged with a first side of said first rib;

a second clamping member engaged with a second side of said first rib; and

a first fastener located beyond said first rib and associated with each of said first and second clamping members, wherein activation of said first fastener causes said first and second clamping members to each exert at least an inwardly-directed force on said first rib.

34. (Withdrawn) A clamp/panel assembly, as claimed in Claim 33, wherein:
activation of said first fastener causes said second clamping member to pivot relative to said first clamping member.

35. (Withdrawn) A clamp/panel assembly, as claimed in Claim 33, wherein:
said first clamping member comprises a recess that is concave and arcuately-shaped, and wherein said second clamping member comprises a first projection that is convex and arcuately-shaped, and further that is disposed in said recess of said first clamping member, wherein activation of said first fastener causes said second clamping member to move relative to said first clamping member at least generally about said first projection.

36. (Withdrawn) A clamp/panel assembly, as claimed in Claim 33, wherein:
said first rib comprises at least one indentation on an exterior surface of said first rib, wherein said second clamping member comprises a second head disposed in said at least one indentation.

37. (Withdrawn) A clamp/panel assembly, as claimed in Claim 33, wherein:
said first rib comprises first and second indentations on an exterior surface of said first rib and disposed on said first and second sides, respectively, of said first rib, wherein said first and second clamping members comprise first and second heads, respectively, disposed in said first and second indentations, respectively.

38. (Currently amended) A ~~clamp/panel~~clamp and panel assembly, comprising:
a panel assembly comprising a plurality of interconnected panels comprising a plurality of base sections and a plurality of ribs, wherein said plurality of base sections comprises first and

second base sections, wherein said plurality of ribs are disposed in spaced relation and comprise a first rib disposed between said first and second base sections, wherein said first rib comprises a first sidewall that extends away from said first base section, as well as a second sidewall that extends away from said second base section and that is disposed in non-parallel relation with said first sidewall, wherein said second sidewall comprises a second indentation on an exterior surface of said first rib; and

a clamp mounted on said first rib and comprising:

a first clamping member that engages said first sidewall of said first rib and that also extends beyond said first rib, wherein said first clamping member comprises a mounting flange in the form of a cantilever;

an attachment mounting fastener threadably engaged with said mounting flange;

a second clamping member that engages said second sidewall of said first rib and that also extends beyond said first rib, wherein said second clamping member is a separate piece from said first clamping member, and wherein said second clamping member comprises a first end that engages an underside of said mounting flange, as well as a second head that is disposed in said second indentation; and

a first fastener located beyond said first rib, associated with each of said first and second clamping members, and in addition to said attachment mounting fastener, wherein activation of said first fastener causes said first and second clamping members to each exert at least an inwardly-directed force on said first rib~~a second head disposed in said second indentation.~~

39. (Currently amended) A ~~clamp/panel~~clamp and panel assembly, as claimed in Claim 38, wherein:

said first rib is hollow and of a trapezoidal-type.

40. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 38, wherein:

a first reference plane is associated with said plurality of base sections, and wherein said first rib comprises a top wall that interconnects said first and second sidewalls and that is disposed in spaced relation to said first and second base sections.

41. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 38, wherein:

said first sidewall comprises a first indentation on said exterior surface of said first rib, wherein said clamp further comprises a first head disposed in said first indentation.

42. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 41, wherein:

said first and second heads are each convexly-shaped.

43. (Canceled)

44. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim ~~43~~38, wherein:

activation of said first fastener causes said second clamping member to pivot relative to said first clamping member.

45. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim ~~43~~38, wherein:

said underside of said mounting flange of said first clamping member comprises a recess that is concave and arcuately-shaped, and wherein said first end of said second clamping member comprises a first projection that is convex and arcuately-shaped, and further that is disposed in said recess of said first clamping member, wherein said activation of said first fastener causes said second

clamping member to move relative to said first clamping member at least generally about said first projection.

46. (Withdrawn) A clamp/panel assembly, as claimed in Claim 38, wherein:

said clamp engages said first sidewall, and wherein said first sidewall is free of any indentation on said exterior surface of said first rib.

47. (Canceled)

48. (Withdrawn) A clamp/panel assembly, as claimed in Claim 47, wherein:

said clamp further comprises a second fastener that extends through said first clamping member and through an aligned portion of said first sidewall.

49. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, comprising:

a panel assembly comprising a plurality of interconnected panels comprising a plurality of base sections and a plurality of ribs, wherein said plurality of base sections comprises first and second base sections, wherein said plurality of ribs are disposed in spaced relation and comprise a first rib disposed between said first and second base sections, wherein said first rib comprises a first sidewall that extends away from said first base section, as well as a second sidewall that extends away from said second base section; and

a clamp mounted on said first rib and comprising:

a first clamping member that engages said first sidewall of said first rib and comprises a first section that is disposed beyond said first rib, ~~wherein said first section comprises a first threaded bore, and wherein an attachment may be mounted to said clamp using said first threaded bore~~ and wherein said first section comprises a mounting flange in the form of a cantilever;

an attachment mounting fastener threadably engaged with said mounting flange;

a second clamping member that engages said second sidewall of said first rib, that extends beyond said first rib, and that comprises a first end that engages an underside of said mounting flange of said first clamping member; and

a first fastener located beyond said first rib, ~~and~~ associated with each of said first and second clamping members, and in addition to said attachment mounting fastener, wherein activation of said first fastener retains said first and second clamping members on said first rib.

50. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 49, wherein:

said first fastener lacks a nut for retaining said first fastener relative to each of said first and second clamping members.

51. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 49, wherein:

said first section of said first clamping member is at least generally parallel with said first base section.

52. (Currently amended) ~~a clamp/panel~~ A clamp and panel assembly, as claimed in Claim 49, wherein:

a first reference plane is associated with said plurality of base sections;

said first and second clamping members are disposed on opposite sides of a second reference plane that is perpendicular to said first reference plane and that extends along a length dimension of said first rib;

said first clamping member further comprises second and third sections, wherein said first section is disposed at least generally parallel with said first reference plane, wherein said second section extends from said first section toward said first reference plane in a first orientation relative

to said second reference plane and is also disposed beyond said first rib, and wherein said third section extends from said second section toward said first reference plane in a second orientation relative to said second reference plane and engages said first sidewall of said first rib, wherein said first and second orientations are different; and

said second clamping member further comprises fourth and fifth sections, wherein said fourth section is disposed beyond said first rib and extends toward said first reference plane in a third orientation relative to said second reference plane, and wherein said fifth section extends from said fourth section toward said first reference plane in a fourth orientation relative to said second reference plane and engages said second sidewall of said first rib, wherein said third and fourth orientations are different, and wherein said fourth and fifth sections of said second clamping member are at least generally a mirror image of said second and third sections of said first clamping member.

53. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 49, wherein:

said second sidewall comprises a second indentation on an exterior surface of said first rib, and wherein said second clamping member comprises a second head disposed in said second indentation.

54. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 53, wherein:

said first sidewall comprises a first indentation on said exterior surface of said first rib, and wherein said first clamping member comprises a first head disposed in said first indentation.

55. (Withdrawn) A clamp/panel assembly, as claimed in Claim 53, wherein:
said first sidewall is free of any indentations on said exterior surface of said first rib.

56. (Withdrawn) A clamp/panel assembly, as claimed in Claim 55, wherein:
said clamp further comprises a second fastener that extends through said first clamping member and through an aligned portion of said first sidewall of said first rib.

57. (Withdrawn) A clamp/panel assembly, as claimed in Claim 49, further comprising:

an attachment mounted on said first section of said first clamping member.

58. (Withdrawn) A clamp/panel assembly, as claimed in Claim 57, wherein:
said clamp further comprises a first threaded fastener that extends through said attachment and at least into said first threaded bore to mount said attachment to said first section of said first clamping member.

59. (Withdrawn) A clamp/panel assembly, as claimed in Claim 58, wherein:
said first threaded bore extends completely through said first clamping member, wherein said first threaded fastener extends completely through said first threaded bore, and wherein said first threaded fastener lacks a nut for retaining said first threaded fastener on said first clamping member.

60. (Currently amended) A ~~clamp/panel~~clamp and panel assembly, as claimed in Claim 49, wherein:

one of said first and second clamping members comprises a non-threaded bore, wherein the other of said first and second clamping members comprises a threaded bore, and wherein said first fastener extends through said non-threaded bore and at least into said threaded bore.

61. (Currently amended) A ~~clamp/panel~~ clamp and panel assembly, as claimed in Claim 60, wherein:

said first fastener extends completely through each of said first and second clamping members, wherein said first fastener lacks a nut for retaining said first fastener relative to said first and second clamping members.

62. (Withdrawn) A clamp/panel assembly, as claimed in Claim 49, wherein:

one of said first and second clamping members comprises a non-threaded slot, wherein the other of said first and second clamping members comprises a threaded bore, and wherein said first fastener extends through said non-threaded slot and at least into said threaded bore.

63. (Withdrawn) A clamp/panel assembly, as claimed in Claim 49, further comprising:

an insert disposed within a hollow interior of said first rib, wherein said clamp is mounted on said first rib in overlying relation to said insert such that said first rib is disposed between said clamp and said insert.